

Fig. 1




Fig. 2a




Fig. 2b





Fig. 4




Fig. 5

60
↓




Fig. 6

OS Role	Operating System, Agent
APP Role	WebServer, ApplnServer
Content Role	HTML, JSP, GIF, JPEG

Fig. 7





Fig. 8



LOUDCLOUD™

Read/Write on s00c.0x0000 | [Sign out](#)

Manage Bundles

s00000h - loudcloud.com

[Home](#) > [Select a Customer](#)

Manage Bundles

Select a Customer:

A	F	N	V
A	F	N	V
A	G	N	
B	G	C	
B	G	C	
B	H	C	
B	H	C	
B	H	C	
C	J	S	
C	J	S	
C	L	S	
C	L	S	
C	L	S	

75

Fig. 9A




Fig. 9B

85

LOUDCLOUD™

Read/Write on xxxxxxxx | [Sign out](#)

Manage Bundles [xxxxxx - loudcloud.com](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [Bundle Information](#)

Manage Bundles

Bundle Information for [redacted]

Choose the "Bundle Name" carefully. Naming conventions are not being enforced at this time.

Name:

Type:

Platform:

This Description:

Document Done

Fig. 9C

90





Fig. 9D

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop

Bookmarks Location What's Related

 **LOUDCLOUD™**

Read/Write on sock.00000v | [Sign out](#)

Manage Bundles [v00000ch - loudcloud.com](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > View Bundle Oracle 8.1.6 Client w/o tnsauto, w/ JDBC

View Bundles

View bundle: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC v1

Bundle ID: [REDACTED]

Bundle Details

Name = Oracle 8.1.6 Client w/o tnsauto, w/ JDBC
Version = 1
Created By = [REDACTED]
Account = [REDACTED]
Platform = SunOS 5.7
Type = SERVICE
Description = Oracle 8.1.6 Client w/o tnsauto, w/ JDBC oracle8i-8.1.6 [REDACTED]-0.sparc64.rpm v1 (Package) oraccount-1.0 [REDACTED]-0.sparc64.rpm v1 (Package) orajdbc-12.0 [REDACTED]-0.sparc64.rpm v1 (Package) orajre-1.1 [REDACTED]-0.sparc64.rpm v1 (Package) oraenv-1.0 [REDACTED]-0.sparc64.rpm v1 (Package)
Status = ACTIVE

Bundles and Packages:

- [oracle8i-8.1.6 \[REDACTED\]-0.sparc64.rpm v1 \(Package\)](#)
- [oraccount-1.0 \[REDACTED\]-0.sparc64.rpm v1 \(Package\)](#)
- [orajdbc-12.0 \[REDACTED\]-0.sparc64.rpm v1 \(Package\)](#)
- [orajre-1.1 \[REDACTED\]-0.sparc64.rpm v1 \(Package\)](#)
- [oraenv-1.0 \[REDACTED\]-0.sparc64.rpm v1 \(Package\)](#)

[< Back](#) [Create New Version](#) [Edit](#) [Edit Name/Description](#)

Fig. 9E




Fig. 9F




Fig. 96





Fig. 9H



Read/Write on sock.0x000000 | [Sign out](#)

Manage Bundles

www.loudcloud.com

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [Bundle Information](#)

Manage Bundles

Bundle Information for [REDACTED]

Name: [REDACTED] - oracle client 8.1.6 w/out tnsauto w/jdbc

New Version Number: 1

Type: Application

Platform: SunOS 5.7

Previous Description: oracle 8.1.6 bundle + rpm to create [REDACTED] so tnsnames.ora etc are set up correctly.

This Description:

oracle 8.1.6 bundle + rpm to create [REDACTED] so tnsnames.ora etc are set up correctly.

To contact us, email:
bco@loudcloud.com

Fig. 9I




Fig. 9J



Manage Bundles

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [View Package](#)

View Package: oracle8i-8.1.6-**[REDACTED]** sparc64.rpm v1

Package ID: [REDACTED]

Package Details

```
Name = oracle8i-8.1.6-1sparc64.rpm
```

Version = 1

Created By = wordbot backdoor

Account = [REDACTED]

Platform = SunOS 5.7

Platform Location = [REDACTED]/SunOS/5.7/oracle8i-8.1.6[REDACTED].sparc64.rpm

Description = Oracle8i Software

```
Status =
```

[A. Back](#)

To contact us, email:

xxx@loudcloud.com

Fig. 9K




Fig. 10A




Fig. 10B

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location: What's Related

LOUDCLOUD™ Read/Write on 500c.00000v | [Sign out](#)

Manage Roles [xxxxxxh - loudcloud.com](#)

Home > **Manage Roles** > [Role Type - service](#) > Roles List

Manage Roles

Narrow OS Platform to:

List of Available Application Roles for Customer - A

- [Beta] Production v1
- [Beta] Migration- .01 - Staging v1
- Apache 1.3.12 + Weblogic 5.1SP5 Connector Prod v1
- Apache 1.3.12 + Weblogic 5.1SP5 Connector Staging v1
- Apache 1.3.12 + WebLogics 5.1SP4 Connector v1
- Apache 1.3.12 + WebLogics 5.1SP4 Connector v2
- Apache1.3.12WL5.1sp4 v1
- Apache1.3.12WL5.1sp4 v2
- ATG5.0 OracleClient 8.1.6 v1
- ATG5.0 sp1 Oracle 8.1.6 v1

[\[Deprecate/Activate Roles \]](#) | [\[View Deprecated Roles List \]](#)

To contact us, email:
xxxx@loudcloud.com

Document Done

Fig. 10C




Fig. 10D




Fig. 10E




Fig. 10 F




Fig. 106




Fig. 10H




Fig. 10I




Fig. 10 J

LOUDCLOUD™

Read/Write on sock.000000 | [Sign out](#)

Manage Roles [v00000th - loudcloud.com](#)

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > [View Role](#)

View Role: Apache1.3.12WL5.1sp4 v1

Application Role ID: 1390000

Role Details

Name = Apache1.3.12WL5.1sp4
Version = 1
Customer Name = N/A
Type = Application
Platform = Linux 6.1
Service = WEB
Description = Apache1.3.12WL5.1sp4
Status = ACTIVE

+[Apache1.3.12 v1 \(Bundle\)](#)

- [apachessl-1.3.12-0.i386.rpm v1 \(Package\)](#)
- [weblogic_apache_plugin_51sp4-0.i386.rpm v1 \(Package\)](#)

[< Back](#) [Create New Version](#) [Edit](#) [Edit Name/Description](#)

To contact us, email:
box@loudcloud.com

Fig. 10K




Fig. 10 L




Fig. 11A




Fig. 11B

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location: What's Related

LOUDCLOUD™ Read/Write on 5000.050000v | [Sign out](#)

Other: Dependencies [Home > Dependencies](#) [v0000xh - loudcloud.com](#)

Type: **Element:**

Application Roles Apache1.3.12WL5.1sp4 v.2 (ACTIVE)

View role: Apache1.3.12WL5.1sp4 v.2

Application Role ID: 1750000 **Actions:**

Role Details **Edit**
Deprecate

Name = Apache1.3.12WL5.1sp4
Version = 2
Customer Name = **[REDACTED]**
Type = Application
Platform = Linux 6.1
Service = WEB
Description = Added customer log rotation
Status = ACTIVE

Apache1.3.12 (Bundle)
customer log rotation (Linux 6.1) (Bundle)

Devices:

Hostname	IP Address	Customer	DataCenter	EffBegDt
[REDACTED] loudcloud.com	[REDACTED]	[REDACTED]	[REDACTED]	10/07/2000
[REDACTED] loudcloud.com	[REDACTED]	[REDACTED]	[REDACTED]	11/07/2000
[REDACTED] loudcloud.com	[REDACTED]	[REDACTED]	[REDACTED]	10/07/2000

1 to 3 of 3

Document: Done

Fig. 11C